



Nano Pro User manual V1.0



Shenzhen Longer Technology Co., Ltd.

APP application download

- 1 Please scan the QR code below or search for Laserburn on Google or Apple store to download the APP

Note: After downloading and installing the APP, please read the warnings and precautions in the APP carefully to ensure that you can use this product normally.



- 2 Download the PC client from the link below. Lightburn is suitable for Windows and MAC systems, and LaserGRBL is suitable for Windows systems.

LightBurn

<https://LightBurnsoftware.com/pages/download-trial>

LaserGRBL

<https://lasergrbl.com/download/>

For complex grayscale engraving, it is recommended to transfer the image to the mobile phone album and import it into the APP for engraving, which will have a better effect.

After-sales service

- ▶ We support global online technical support services for this product. If you encounter any problems during use, please contact us at any time and we will reply to you as soon as possible.
- ▶ Longer mailbox: info@longer.net
- ▶ Longer after-sales email: support@longer.net
- ▶ Service Hotline: (+1) 888-575-9099

Table of contents

Safety precautions	01
Product accessories list	03
Product specification	04
Product instruction	05
Quick installation	06
Manual focus setting	08
Multiple application scenarios	10
LaserGRBL software operation	12
LightBurn software operation	15
LaserBurn software operation	18
Warranty	27
Copyright statement	28

Safety Precautions


- ▶ Please read the [Safety Guidelines for Use] in detail and remember all the contents to ensure standardized operation.
- ▶ This product does not contain any user-replaceable components. Please do not attempt to disassemble Nano Pro or troubleshoot problems by yourself, no matter what the scenario.
- ▶ Nano Pro will emit laser when it is working, and the beam may cause burns to the human skin; especially to the human body or animals (pets). The damage to the eyes is extremely serious; in addition, the damage to the screens of electronic products such as mobile phones and Pads is also extremely serious. Properly use and maintain this product, which is extremely important for the safe operation of this product. Regarding the operation and maintenance specifications of this product, please strictly follow the instructions in this manual.
- ▶ When operating Nano Pro, be sure to wear goggles at all times.
- ▶ Before operating the Nano Pro device, please be sure to read this operating content carefully and strictly abide by the operating procedures.
- ▶ Caution – Use of controls or adjustments or performance of procedures other than those specified herein may result in hazardous radiation exposure.
- ▶ This equipment uses Class IV lasers (strong laser radiation). This laser radiation may cause the following accidents:
1) Ignite surrounding flammable materials; 2) During the laser operation, other radiation and harmful gases, poisonous gases or smelly gases; 3) Direct exposure to laser radiation can cause harm to the human body. Therefore, operators must keep a distance from the equipment and wear protective equipment (such as goggles, protective covers, protective clothing or fire-fighting equipment, etc.). It is strictly prohibited to place flammable and explosive items around the workbench and equipment. At the same time, the working environment must be maintained good ventilate.
- ▶ There may be risks in the laser working process. Users should carefully consider whether the material of the object to be engraved is suitable for laser operations.

- ▶ The operating voltage of the equipment is 12V 4A. An adapter of appropriate specifications should be used for power supply. Operation under overload or unstable voltage is strictly prohibited. And if the ground wire of the power supply (such as a power strip) used in the power plug of this product does not effectively function, the power supply cannot be plugged in, otherwise there will be a very dangerous risk of electric shock.
- ▶ This product is equipped with a very precise and dangerous laser source component. It is strictly prohibited to place the device near electrical appliances with strong electromagnetic interference, as this may cause electromagnetic interference. When the laser source is turned on, laser light will be emitted at the speed of light. Users must avoid direct exposure to the laser beam.
- ▶ It is strictly prohibited to place any irrelevant total reflection or diffuse reflection objects in the device to prevent the laser from being reflected on the human body or flammable objects.
- ▶ Before using this product to engrave objects, please ensure that the emissions produced by laser irradiation of the object to be engraved comply with local laws and regulations.
- ▶ During the working of the engraver, an adult must be on duty and cannot leave, otherwise Longer Technology will not be responsible for the losses caused.
- ▶ Minors are prohibited from using the engraver alone without adult supervision.
- ▶ For more safety precautions, please refer to the user manual.


Disclaimer

- ▶ Thank you for purchasing Nano Pro. The content mentioned in this article is related to your safety and legal rights and responsibilities. Before using this product, please read this article carefully to ensure that you have the correct settings for the product. Failure to comply with the instructions and warnings in this article may cause injury to you and those around you, or cause damage to the Nano Pro or other surrounding items. Once you use this product, you are deemed to have carefully read the disclaimer and warning information, and understood, recognized and accepted all the terms and contents of this statement. You promise to take full responsibility for the use of this product and the possible consequences. You promise to use this product only for normal purposes and agree to these terms and any relevant regulations, policies and guidelines formulated by Longer Technology. Longer Technology is not responsible for any damage, injury or any legal liability caused directly or indirectly by the use of this product. Users should follow all safety guidelines including, but not limited to, those mentioned in this article.


Product accessories list



Laser unit



Base plate and Electric lifting bracket




Protective cover




Goggles



L-shaped positioning piece




Ruler




Thumb screws




Consumables




Glasses cloth



Power adapter




Double Type C cable




Card reader



TF card



Data cable




Angle adjusting knob


Product specification

Features		Features	
Model	Nano Pro	Laser Power	12W
Laser Source	Two diode laser with FAC,F-theta Fied lens	Laser Wavelength	450nm
Working Area	100*100mm	Cutting Depth	8.5mm
Resolution	3.3K	Engraving Precision	0.02mm
Engraving Speed	2200mm/s	Preview Speed	17000mm/s
Support Format	jpg, bmp, png, dxf, svg, ai, tiff, etc	Lifespan	10000+H
Warranty Period	One year	Preview Mode	Outline preview
Engraving Angle	0~360°	Material of Machine	Aluminum alloy
Connection	WIFI, USB, APP	Safety Certifications	CE; FCC; FDA; RoHS
Support Systems	Windows; MAC; Linux	Product Volume	220mm*162mm*304.5mm
Gross Weight	4.45kg	Net Weight	3.57kg
Continuous Working Hours	More than 7 hours		
Power Adapter	AC Input 100-240V 50/60Hz 1.7A DC Output 12V-5A 60W		
Applicable Materials	Engraving or cutting on wood, acrylic, leather, cloth, metal, ceramics, etc		
Support Languages	German; Portuguese; French; English; Italian; Spanish		

Product instruction




Product instruction



Quick installation


► Install the laser unit and protective cover

1) Fix the laser unit on the electric lifting bracket



► Align the laser unit with the mounting bracket, and tighten the angle adjustment knob clockwise to fix the laser unit.


2) Fix the protective cover on the laser unit




► Note: Remove the lens caps first and then install the protective cover. Make sure of exhaust fan is toward rear.

Quick installation

► Wiring






 Connect to electric lifting bracket with the blue double Type C cable




 Connect to exhaust fan with green Type C cable

Laser unit indicator



- Green line: output port for the exhaust fan
- Blue line: output port for the electric stand
- Yellow line: accessory connection port
- Red line: computer connection port



 Connect to power supply with the power adapter

 Connet to computer with red data cable


Green light: idle state
Blue light: working status
Red light: alarm status
Yellow light: pause/waiting state

Manual focus setting

► Adjust focus

1) Focus by ruler



Adjust the height of the laser module by touching the button of the lifting bracket until the bottom of the laser unit is 151mm away from the surface of the engraved object.



2) Focus assist by infrared laser

Press the infrared laser button and adjust the height of the bracket. When the two laser points overlap into one point, the focus is completed and you can start engraving.

Click to turn on the red light



Adjust height





► Note: The red dot is not the engraving center point, it is only used for focus reference

► Process large-sized materials

1) Adjust the height first, remove the protective cover and then take out the positioning plate.

2) Place the engraving machine steadily on the surface of the object to be engraved.



► Note: The focal length needs to be readjusted according to the actual situation.

Multiple application scenarios

► Process materials with slopes



1) Oblique engraving

Turn the angle adjustment knob counterclockwise to loosen it, adjust the angle of the mounting bracket, and after the adjustment is completed, it will mesh with the gear, then turn the angle adjustment knob clockwise to lock it and adjust focus.

2) Handheld engraving

Hold the handle and place the protective cover against the surface of the object to be engraved, and you can engrave.


► Note: The laser head can only be rotated at 20° intervals.




Multiple application scenarios

►Batch engraving

1) Place the base plate and tighten the two M3X8 thumb screw.



2) Place carving materials.




LaserGRBL software operation

► Download

a) Find LaserGRBL software in attached SD card(path:/-software), Or download from the link:<https://lasergrbl.com/download/>

b) Double-click the software installation package to start the software installation, and keep clicking Next until the installation is completed.




c) After installing LaserGRBL, power up the Longer Nano Pro, press the power switch button, and connect the laser engraver to computer via red data cable.

► Import configuration




a) In order to meet the use of Nano Pro in LaserGRBL, it must to import custom buttons. Right-click in the blank area at the bottom and select Import custom buttons, open nano.zbn file to import, click YES to confirm, then there are new Nano, Slide, Rotary icons etc. nano.zbn file is stored in the softwares directory of the SD cards




b) If you cannot find correct port, please install CH340 driver manually by click Menu > Tools > install CH340 Driver to install the driver, and restart the computer after installation is completed.

LaserGRBL software operation

► Usage





Click the 'File' button first and click the 'Open File' button to select the file that needs to be carved.



After opening, set the Quality value to 16.67Lines/mm.

LaserGRBL software operation



After clicking the Next button, adjust the speed and power value in this window.

The value of S-MAX is ten times the actual power, click Create.

More help information about LaserGRBL, please check the 'Nano Pro User Manual' file in the SD card and refer to the link: <https://lasergbl.com/usage/0>

a) Select correct port

b) Set baud to 921600

c) Connect to Laser Nano


d) Click start button

LightBurn software operation

► Setup

a) Find Lightburn in software folder in SD card or download from <https://lightburnsoftware.com/download/>, double click to install it.

untitled> - LightBurn 1.2.01




b) Click Settings, change unit to mm/min.

c) For the first time launching LightBurn, it will prompt a 'NewDevice Wizard' for help you setup machine. Click 'Import'.




d) Select the 'Nano.Ibdev' file in the software directory of the SD card and click 'open'.



e) If no ports are listed in the drop-down, it means that no engravers were found, which could mean that it is not plugged in correctly, isn't powered, or the PC is missing a driver. It needs to download and install CH340 driver.


LightBurn software operation

► Import graphic



- Click the File > Import
- Open the project you want to carve


► Setting parameters




- Modify the laser power and speed according to the parameter table, set 'Interval' to 0.06mm.

LightBurn software operation

► Prepare to engrave



a) Click the 'Console' button first and click the 'Switch carving mode' button.




b) Select the correct port connection to click 'Frame' first, confirm the carving position and then click 'Start'.


More help information about LightBurn, please check the 'Nano Pro User Manual' file in the SD card and refer to the link: <https://lightburnsoftware.com/pages/tutorials>

LaserBurn software operation

► Connect to WIFI in AP mode



a) Open the WLAN settings on your phone, search for the WIFI starting with LongerLaser_Nano and input password 12345678 to connect the wifi of Nano Pro. If WIFI of LongerLaser_Nano can not be found, please long press the WIFI reset button on the back of the Nano pro until you can hear three buzzers to reset the WIFI, then search the WIFI list again.



b) Return to LaserBurn and enter the Home page, click not connected icon.






c) Enter the IP address 192.168.0.1

d) Click Connect. There will be a remind 'connection succeeded' when connect successful.

LaserBurn software operation

► Connect to WIFI in STA mode



a) Open the WLAN settings on your phone. Run LaserBurn and enter the Home page, click not connected icon.


b) Enter the network configuration page, click Add in the upper right corner.

c) Click Scan device.

d) Search for the WIFI starting with LongerLaser_Nano and input password 12345678 to connect the WIFI of Nano Pro.

LaserBurn software operation

► Connect to WIFI in STA mode



e) After the connection is successful, return to LaserBurn, select Set STA mode.

f) Connect WIFI of router (only supports 2.4G), and enter the password. The indicator light in front of Nano will switch to orange breathing light during connecting, then will turn green if the connection is successful.



g) Back to LaserBurn, click Connect network at the bottom of the page, connect the phone to the same WIFI as the STA mode in the previous step, wait for network configuration.

LaserBurn software operation

► Connect to WIFI in STA mode




h) When the connection is successful and the network process reaches 100%.




i) Click FINISH at the bottom to return to the device list interface.

LaserBurn software operation

► Make a project




a) Run LaserBurn app and connect the APP to Nano pro, add a graphic, click Edit to set size and position.



b) Click Layer to set the parameter of the graphic, then click next in the upper right corner. Accuracy has only two values options, 0.09mm or 0.06mm.
0.06mm for high precision
0.09mm for high efficiency

LaserBurn software operation

► Make a project




c) There will be a warning window, make sure the work area is safe, wear goggles and protective cover is installed , click Confirm.



d) Set the third axis option, select None for the Nano Pro, click Next.

LaserBurn software operation

► Make a project




e) Set the focus, enable the Laser focus, the infrared laser will be turn on, click Rise or Drop to adjust the height until two infrared dots coincide with each other, click Next.



f) Click Border to preview the work position of the graphic to confirm the position of material is correct. If you cannot see the blue light clearly during preview, you can increase the blue light power appropriately, but be careful to avoid burning the engraving material, click Start.

LaserBurn software operation

► Make a project




Input file name

longer_002

Cancel | Confirm

g) After confirming that the focus is adjusted normally and the goggles are worn, click Confirm to make sure the file name, and then the file starts to upload to the Nano Pro.



Remind



Please press the [▶] button on the machine to start carving

Confirm

h) After the upload is completed, click Confirm and press the start button on the laser module to start the engraving task.

LaserBurn software operation

► Make a project



i) The APP will display the task progress.

j) When task is completed, there will be a 'Work completed' prompt. Click confirm to return to Home page.

For detailed operation, please check the 'Nano User Manual' file in the SD card

Warranty

- ▶ To the extent permitted by law, this warranty is exclusive and in lieu of all other warranties, express or implied or statutory, including but not limited to fitness for a particular purpose, statutory provisions or any other circumstances. any liability arising therefrom. In addition, Longer Technology will not be responsible for any incidental, special, indirect or consequential damages (which may arise from use, misuse, incompetence or product defects).
- ▶ When consumers apply for warranty service, they are obliged to back up all important personal data in advance.
- ▶ During the maintenance process, such as replacing parts or updating the product software version, the data will be lost during the maintenance process. Longer Technology does not provide data backup or the integrity of related data and settings.
- ▶ Longer provides different warranty periods for the laser unit, consumables, and wearing parts. Please refer to the link for details <https://www.longer3d.com/pages/warranty-policy>. However, if the following situations occur, the product will not be covered by the warranty:
 - 1) Failure or damage is caused by incorrect or improper use, maintenance, or storage, such as improper handling; use of the product not for the reasonable intended purpose; improper plugging or unplugging of external devices; drops or improper external crash; contact with or exposure to improper temperatures, solvents, acids, alkalis, water intrusion, etc.; infestation of insects and rodents or intrusion of foreign objects resulting in the breakage, dust, damage of the product or parts (such as housing, components, wiring, etc.);
 - 2) Failure or damage is caused by any installation, repair, alteration, addition, or disassembly by agencies or personnel who are not authorized by LONGER;
 - 3) Modification, alteration or removal of the original identification information of the product or components.
- ▶ Processing quality is highly related to user operation, processing materials, and processing environment, and is not covered by the warranty.

Copyright statement

- ▶ The copyright of this manual belongs to the software and hardware involved in this product, and is owned by Shenzhen Longer Technology Co., Ltd. (hereafter referred to as [Longer Technology]). Longer is a registered trademark of LongerTechnology.
- ▶ The information in this manual is subject to change without notice; and the information in this manual does not constitute a commitment by the company. Please refer to our website (<https://www.longer3d.com>) for the most timely updates.
- ▶ Except for the personal use of the purchaser of this product, the contents of this manual may not be rewritten or reproduced in any form or for any purpose without the written permission of our company.

MORE INFORMATION ▼



Support Email : support@longer.net



Facebook ID: Longer Global



Facebook Group: Longer Nano Official Group



Youtube Channel: Longer Official

Shenzhen Longer Technology Co.,Ltd.

We provide global online technical support services. If you encounter any problems, please contact us.